
Rolling Ladder Hardware Kin

LIFETIME WARRANTY





2 - Top Roller Guides

- 4 1/4" x 20 Thread 35 mm
- 4 Acorn nut 1/4" x 20
- 4 Flat head # 10 x 3/4"

2 - Top Rolling Hook Guides

4 - 1/4" x 20 Thread 35 mm

MADE IN USA

- 4 Acorn nut 1/4" x 20
- 4 Flat head # 10 x 3/4"

- **7- Ladder Step Supports**7 OAL 15-1/2", w/5/8" 1/4"x 20 Rolled Thread at each end, Black
- 14 Nut Cap (w/notch) For Rod 1/4"x 20 Black
- 28 Round washer head 8 x 1-3/4"

Vertical **Brackets**



Horizontal Brackets





2 - Bottom Rollers

- 2 1/4" x 20 Thread 35 mm
- 2 Acorn nut 1/4" x 20
- 2 Pan head #14 x 3/4"

Quiet Glide Rolling Ladders

Here is an easy way to order your Hardware Kits

- 1 Determine what type of Ladder Hardware Kit you will need.

 Ladder Hardware Kit includes:
 - Lower ladder wheels
- In stock ready to ship
- Upper Hook, Rolling, or Rolling Hook hardware
- All fasteners and rung supports needed to make an 8' ladder



QG.700.07

QG.700.02

*Pattern may vary







Bronze

699.00

699.00



Black Satin Nickel

Swivel

Swivel

Hammered Antique Brass Pattern may vary

Pattern may vary

Oil Rubbed Bronze

Satin Nickel

1A	Ladder Hard	ware Kits	with standard wheel	
Part#	Description		Finish	Price
QG.200.08	Rolling	OWN	Black	\$503.00
QG.200.03*	Rolling	1000	Hammered Antique Brass	556.00
QG.200.07	Rolling	620	Oil Rubbed Bronze	556.00
QG.200.02	Rolling	115	Satin Nickel	556.00
QG.300.08	Hook		Black	503.00
QG.300.03*	Hook	210	Hammered Antique Brass	556.00
QG.300.07	Hook		Oil Rubbed Bronze	556.00
QG.300.02	Hook		Satin Nickel	556.00
QG.500.08	Rolling Hook	el -	Black	503.00
QG.500.03*	Rolling Hook	R-MAR	Hammered Antique Brass	556.00
QG.500.07	Rolling Hook	A THE IS	Oil Rubbed Bronze	556.00
QG.500.02	Rolling Hook		Satin Nickel	556.00
QG.700.08	Swivel	es allo	Black	649.00
QG.700.03*	Swivel	400	Hammered Antique Brass	699.00



STANDARD WHEEL



Ladder Hardware Kits with lower brake wheel

Patent Pending

IB Lac	lder Hardw	are Kits v	vith lower brake whee	el .
Part#	Description		Finish	Price
QG.210.08	Rolling	OOM.	Black	\$567.00
QG.210.03*	Rolling	1000	Hammered Antique Brass	619.00
QG.210.07	Rolling	621	Oil Rubbed Bronze	619.00
QG.210.02	Rolling	43	Satin Nickel	619.00
QG.310.08	Hook		Black	567.00
QG.310.03*	Hook	317	Hammered Antique Brass	619.00
QG.310.07	Hook		Oil Rubbed Bronze	619.00
QG.310.02	Hook		Satin Nickel	619.00
QG.510.08	Rolling Hook	#I -	Black	567.00
QG.510.03*	Rolling Hook	R-MAN	Hammered Antique Brass	619.00
QG.510.07	Rolling Hook	THE REAL PROPERTY.	Oil Rubbed Bronze	619.00
QG.510.02	Rolling Hook		Satin Nickel	619.00
QG.710.08	Swivel	H di	Black	712.00
QG.710.03*	Swivel		Hammered Antique Brass	764.00
QG.710.07	Swivel		Oil Rubbed Bronze	764.00
QG.710.02	Swivel	- m	Satin Nickel	764.00
*Pattern may vary		Patent Pend	ing	

Spring loaded wheel locks when weight is applied on the ladder, wheel unlocks when weight is taken off.



WHEEL

Brake tension can be adjusted with allen wrench.







1C Ladder Hardware Kits with contemporary wheel

Part#	Description		Finish	Price
QG.220.08	Rolling	OWN	Black	\$503.00
QG.220.03*	Rolling	-01	Hammered Antique Brass	556.00
QG.220.07	Rolling	620	Oil Rubbed Bronze	556.00
QG.220.02	Rolling	11.5	Satin Nickel	556.00
QG.320.08	Hook		Black	503.00
QG.320.03*	Hook	3	Hammered Antique Brass	556.00
QG.320.07	Hook		Oil Rubbed Bronze	556.00
QG.320.02	Hook		Satin Nickel	556.00
QG.520.08	Rolling Hook	41 -	Black	503.00
QG.520.03*	Rolling Hook	R-MAN	Hammered Antique Brass	556.00
QG.520.07	Rolling Hook	AND US	Oil Rubbed Bronze	556.00
QG.520.02	Rolling Hook		Satin Nickel	556.00
QG.720.08	Swivel	LI MIL	Black	649.00
QG.720.03*	Swivel		Hammered Antique Brass	699.00
QG.720.07	Swivel		Oil Rubbed Bronze	699.00
QG.720.02	Swivel	- III	Satin Nickel	699.00
*Pattern may vary		Patent Pending		



CONTEMPORARY WHEEL



Photo Provided by: VisionQuest Builders Inc. Alexandria, VA



QG.40CRV.02

*Pattern may vary

2 Select Rail Components

2A Determine how many feet

Rail - 1"diameter solid aluminum rail

Part#	8ft Length	Price	Part#	6ft Length	Pair	Part#	4ft Length	Price
QG.4008.02	Satin Nickel	\$104.00	QG.4006.02	Satin Nickel	\$84.00	QG.4004.02	Satin Nickel	\$56.00
QG.4008.03*	Hammered Ant Brass	104.00	QG.4006.03	Hammered Ant Brass	84.00	QG.4004.03*	Hammered Ant Brass	56.00
QG.4008.07	Oil Rubbed Bronze	104.00	QG.4006.07	Oil Rubbed Bronze	84.00	QG.4004.07	Oil Rubbed Bronze	56.00
QG.4008.08	Black	\$95.00	QG.4006.08	Black	77.00	QG.4004.08	Black	51.00
Part#	90 ⁰ Inside Corner - 30"Radius - 5' length	Price	Part#	90 ⁰ Inside Corner - 16"Radius - 5' length	Price	Part#	135 ⁰ Inside Corner- 5' length	Price
Cannot be used w	ith Hook or Rolling Hook top H	ardware	Only used	d with swivel top hardware		Cannot be used wi	th Hook or Rolling Hook top Ha	rdware
QG.40CRV.08	Black	157.00	QG.40CRV16.08	Black	157.00	QG.40CRV135.08	Black	157.00
QG.40CRV.03*	Hammered Ant Brass	173.00	QG.40CRV16.03*	Hammered Ant Brass	173.00	QG.40CRV135.03 ⁹	Hammered Ant Brass	173.00
QG.40CRV.07	Oil Rubbed Bronze	173.00	QG.40CRV16.07	Oil Rubbed Bronze	173.00	QG.40CRV135.07	Oil Rubbed Bronze	173.00

Satin Nickel

Rail & Bracket

173.00



Satin Nickel



QG.40CRV16.02

*Pattern may vary



QG.40CRV135.02

*Pattern may vary



173.00

2B Select how many Vertical or Horizontal *Brackets* for your rail you will need

173.00

(choose correct bracket for Hook, Rolling, Rolling Hook application)

You will need 1 bracket for every 32" or 4 brackets for an 8ft rail

Vertical Rail Bracket Kit

Part#	Description	Finish	Price
QG.201.08	Rolling bracket	Black	\$9.00
QG.201.03*	Rolling bracket	Hammered Antique Brass	10.00
QG.201.07	Rolling bracket	Oil Rubbed Bronze	10.00
QG.201.02	Rolling bracket	Satin Nickel	10.00
QG.301.08	Hook bracket	Black	9.00
QG.301.03*	Hook bracket	Hammered Antique Brass	10.00
QG.301.07	Hook bracket	Oil Rubbed Bronze	10.00
QG.301.02	Hook bracket	Satin Nickel	10.00
*Pattern may	vary		





Satin Nickel

	_		HOUR DIACKE
Horizontal	Rail Bracket Kit	Rolling bracket	
QG.202.08	Rolling bracket	Black	\$10.00
QG.202.03*	Rolling bracket	Hammered Antique Bras	s 11.00
QG.202.07	Rolling bracket	Oil Rubbed Bronze	11.00
QG.202.02	Rolling bracket	Satin Nickel	11.00
QG.302.08	Hook bracket	Black	10.00
QG.302.03*	Hook bracket	Hammered Antique Bras	s 11.00
QG.302.07	Hook bracket	Oil Rubbed Bronze	11.00
QG.302.02	Hook bracket	Satin Nickel	11.00
*Pattern may	vary		

2C Select how many Splice Kits you will need

(How many rails will you be joining together?)

Part# QG.41 Splice Kit for joining two rails \$9.00 Splice Kit



2D Select how many End Stop Kits you will need

*7	Fnd	stops	ner	kit
	LIIU	3 LOP3	pei	NI.

*2 End	stops per kit	
Part#	Description - End Stop Kit for Rails	Price
QG.40.08	Black	\$19.00
QG.40.03*	Hammered Antique Brass	19.00
QG.40.07	Oil Rubbed Bronze	19.00
QG.40.02	Satin Nickel	19.00
QG.401.08	Black	45.00
QG.401.03*	Hammered Antique Brass	45.00
QG.401.07	Oil Rubbed Bronze	45.00
QG.401.02	Satin Nickel	45.00
*Pattern may var	у	



End stop QG.40.**





Steam Bent Solid Wood Hand Rails

sold in pairs

Species	Part#	Price
Cherry	QG.6309.CH	\$139.00
Hickory	QG.6309.HC	174.00
Maple	QG.6309.MA	139.00
Red Oak	QG.6309.RO	139.00
Walnut	QG.6309.WA	174.00

Sanded to 120 grit with predrilled assembly holes Specify black or nickel fasteners (included)

2E Tap to thread rails for end stops

Description QG.TAP1420 1/4" x 20 Tap for rail \$5.99





Select the wood ladder and accessories

Ladder-in stock (includes top turned rung)

Species	Part# 8ft	Part# 9ft
Red Oak	QG.6008.RO \$236.00	QG.6009.RO \$265.00
Maple	QG.6008.MA 265.00	QG.6009.MA 298.00
Cherry	QG.6008.CH 344.00	QG.6009.CH 387.00
	Part# 10ft	
Red Oak	QG.6010.RO \$295.00	
Maple	QG.6010.MA 331.00	
Cherry	QG.6010.CH 430.00	

Sanded to 120 grit, flat cut, pre-drilled holes for fasteners, sides dadoed for steps, ready to finish & assemble.


3B Custom Ladder

Custom lengths and wood species available, 2-3 week lead time. Plus Shipping includes top turned rung and supports.

Ladders above 8' require additional rung supports.

Species	up to 8 feet	up to 9 feet	up to 10 feet
Alder	\$521.00	\$587.00	\$652.00
Birch-Yellow	380.00	426.00	473.00
Cherry	468.00	527.00	585.00
Hickory	392.00	440.00	489.00
Maple	363.00	406.00	451.00
Afr. Mahogany	817.00	919.00	1021.00
Oak-Red	321.00	363.00	401.00
Oak-White Qrt Sawn	557.00	627.00	697.00
Walnut	539.00	606.00	674.00

Other species available, Call for pricing & lead time



3D Additional Rung Supports

for 9' and 10' ladders

* For ladders over 8' or if you build your own ladder. For 16" wide ladders.

Part#	Description	Price
QG.620.08	Extra Rung Support- Black	\$21.00
QG.620.02	Extra Rung Support- Satin Nickel	21.00



3E Top turned *Rungs* For 16" wide ladder When building your own ladder.

species	Part#	
Red Oak	QG.610.RO	\$9.95
Maple	QG.610.MA	9.95
Cherry	QG.610.CH	9.95



^{*} Included with ladders above

C----



QG.61 Clear \$4.00 each



GENERAL INSTALLATION/SPECIFICATION GUIDE



Please Note!!

Tools Required For Assembly

4mm & 5mm allen wrenches. #2 Phillips & #2 Square screw driver. 1/4" x 20 thread tap.

Step 1:

(A) Slide brackets into rail, recommended maximum spacing 32 inches apart. Pre-drill holes in wood if needed and screw brackets in place.



Aluminum Rail Rod

Horizontal Bracket (Roller type)

(B) Use the splice kit to connect rails together. (If applicable)

Vertical Bracket (Roller type)



Vertical Bracket (Hook type)



End View

Rolled steel pin

Alignment Pin & Bar inserted into rail to connect another section of rail


(C) Tap the end of the rail with a 1/4" x 20 tap (not supplied) to screw in the end stop finial (done before installation of rail). Install end stop with screw provided.

Note: Leave at least a 7 inch clearance above the rail for the top guide hardware to operate properly, and allow the

ladder to move against the wall for storage.



Pre drill 23/64" holes for rung support rods below rung and screws for rung installation



Step 3:

Drill holes and install top guides to ladder centering the top dowel (top dowel recommended) of the ladder. The placement of the holes will allow a small adjustment of height of ladder, either up or down.


Step 4:

Install Top Turned Rungs Use a forstner bit, drill 7/8" hole part way through for the turned rungs



Step 5:

Line up bottom rollers vertical to the floor when ladder is in the climbing position pre-drill holes and install bottom rollers.







Top Turned Rung

16-1/4" long x 1-1/4"Dia., 7/8" Dia. ends. 14-3/8" Inside Width Unfinished



Ladder in the climbing position




Ladder in the stored position

Top Ladder Hardware


Patent Pending - Exclusive Patent on Rolling Hook Top Hardware **Rolling Hook**








Bottom Ladder Hardware





Hook top Hardware canners Splice kit Splice kit Straight section of curved rail 38"


Curved rail radius dimensions

Hook top Hardware cannot be used with curved rails!


Rail Diameter = 1"




Rail Bracket - Vertical Roller type




Rail Bracket - Vertical Hook or Rolling Hook type






Rail Bracket - Horizontal Rolling Hook type



Make your own Ladder

To determine length of ladder: Measure from the center of rail to the floor, then *add five inches* to the measurement.



rev 9-9-13